# This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

### **EUROPEAN PATENT APPLICATION**

101

(21) Application number : 92670002.2

(6) Int. CI.5: A63F 9/22, H04N 5/44 

② Date of filing: 18.03.92

30 Priority: 08.04.91 PT 97283

43 Date of publication of application with an install 14.10.92 Bulletin 92/42

rhan marupan erit. Designated Contracting States: DE FR IT PT 71) Applicant : Gomes dos Santos, Alcino Rua das Janelas Verdes, 1-10 P-1200 Lisboa (PT)

Rua das Janelas Verdes, 1-10 de de la P-1200 Lisboa (PT)

The state of the s

The first of the second of the Remotely controlled device for supplying scents and for creating ambiences. អែមការបានជាក្នុងក្រុងប្រជា

57 The present system consists of complementary electric equipment to television and video, that will re-create scenic ambients, after the reception and decodification of the composed signal (4), in the separator/decodifier of signals (1), and posterior action of the decodified signal (6)

The second residual section was

and posterior action of the decodined signal (o) in the actuating units (2) and (3).


The composed signal (4) containing information previously codified, is decodified in the separator/decodifier (1), of conception acording to current principles. They result from this decodification; signal of video (5) and the signals (electric levels) (6), that will actuate in the nears that equip the actuating units (2) and(3) gears that equip the actuating units (2) and(3)

and the exhaust (7).

The actuating unit (2) is composed basically by electrovalves (2.1), that will do to liberate the arcmas contained in the respective capsules (2.2).

The actuating (3) is composed by generating equipments of wind(3.1), cold (3.2) and heat (3.3), of current conception, whose commands are analogous to the actuating unit (2).

Principal utilization — re-creation of determined scenic ambients, through the smelling component, as well as the sensations of wind, cold, heat, etc...



The invention refers to a system that pretends to create a complement scenic for television and video, that re-creates more faithfully determined ambients, through in the smelling component, as well as from other type of sensations, as: wind, cold, heat, etc..

The originality of the proposed subject is founded on the fact from the re-creations may to be done at distance and for domestic use.

The present system bases by the reception of different information in a composed signal that, when separated and decodified by the separator/decodifier (1), will do to activate by electromecanical way, a gear of aspersion, reported as actuating unit (2), that contains an ensamble of aromas, or functioning with generating equipments of other efects: wind, cold, heat, etc., in the secondary actuating unit (3).

The invention alludes to only the creation of efects, downstream of the succession of emissions, presupposing the possibility to program/codify upstream, that is, near the emission.

The command of actuating units (2) and (3) and of the exhaust (7) will be done by action of the signals (electric levels) (6) after the partition and decodification of the composed signal (4), separating in to the video signal (5).

The composed signal (4), having been codified previously, is processed in the separator/decodifier (1), of conception according to current principles. From this separation/decodification result the separate signals: signal of video (5) and the signals ( electric levels ) (6).

For example, we describe a possible appliance of the insertion of the codified signal: the signals of code that will to integrate/the composed signal, in complement with the signals of video, would be inserted in the no visible lines of video, during the phase of codification.

The selection and actuation of determined efect will be done by the sending to the cited actuating units (2) and (3) of the corresponding signal (6).

The suspension of a determined aroma will be accelerated with the help of an exhaust (7) commanded by the system, through the corresponding signal(6), being neutralized the residual with a superposition of an ambient aroma, for small space of time, of the next situation aroma.

The actuating unit (2) is composed basically by pressurized capsules containing aromas (2.2), by deed of electrovalves (2.1) that will do to liberate the contained aromas.

The capsules will be placed in the gear of aspersion, reported as actuating unit (2), according to a reference of predetermined position, the gears of aspersion will may to be of several capacities and, so, to contain since sundry tens to sundry hundreds of capsules of aromas, these being elaborated beforehand, there being, still, the possibility to get others by synthetizing from the base aromas.

The actuating unit (2) will have a grate, conceived in order to constitute alveoles that individualize the going out of the aromas. The alveoles are destined to avoid that the aromas will be mixed with the residual of other aroma, adhered to the grate.

The secondary actuating unit (3) is composed by generating equipments of wind (3.1), cold (3.2) and heat (3.3), of current conception, commanded in a analogous way at the actuating unit (2).

The sensations of wind, cold, heat, etc. will be created, doing the signal (6) to start conventional generating souces of these, in the secondary actuating unit (3). For a larger fidelity of the sensation of heat or cold, without to perturb the room temperature, these will be generated to antechambers that will liberate, in the nick of time, in the form of wave of cold or wave of heat, with the help of a ventilator working by very small velocity.

The generator of heat (3.3) will have the antechamber with reflecting surface, for, by irradiation, to direct better the wave of heat.

4. 9. 4

#### Claims

20

30

- 1 "SCENIC AMBIENTS RE-CREATOR" is characterized as being composed of a signal separator/decodifier (1), an actuating unit (2), and a secondary actuating unit (3).
- 2 "SCENIC AMBIENTS RE-CREATOR", in accordance with claim No.1, is charaterized by the separator/decodifier (1)~converting the information that integrates the signal recieved by a television receiver or read by video machine into electrical impulses that will activate the actuating units (2) or (3).
- 3 "SCENIC AMBIENTS RE-CREATOR", in accordance with claims Nos 1 and 2, is characterized by the actuating unit (2) being constituted of a system that, by electronic command, functioning with different valves (2.1), will free corresponding aromas contained in small pressurized deposits (2.2).
  - 4 "SCENIC AMBIENTS RE-CREATOR", in accordance with claims Nos.1 and 2, is characterized by the secondary actuating unit (3), according to the identical principle of actuating unit (2), functioning with autonomous generating units of other efects, such as: cold(3.1) wind (3.2), heat (3.3), etc..
  - 5 "SCENIC AMBIENTS RE-CREATOR", in accordance with claims Nos.1, 2, 3 and 4, is characterized by the re-creations being made away from and toward the common utilizer.
  - **6** "SCENIC AMBIENTS RE-CREATOR", in accordance with claims Nos.1, 2, 3 and 4, is characterized by the re-creations being made from information contained in video recording supports, for video or television system users.

55

🚆 (Burna tang pangangan pangangan pangangan) us u 🚾 diperacular par li calini i rus en <del>E</del>nda diarekto didi 5 r. (... த்தை இது அரசியாது நடி <u>a<del>---</del></u>rum tu sai amela li inta Asia accepto from contract. of the second second process of the second s zin<u>i. <del>Z</del>ervina je basa a tito bili</u> <u>ැල්ම අප්රකාද 🚍 වර් මට මේහ (C)</u> ස්වයේ ලම ව ejs (si≣uusis perinduleer er, je uin in (注:アンドラ)優) 極力(なつ As I no sessono si Menor : taruning tir kin o<u>⊞elemana monapanin</u>g (ti Fix milivie paparetendoscod ⊞aros asos do sane-os i go do signas os video y⊞militre signas y asos 'de levels ! (6). Pong Jempic, we class on a classina anallencal." the insegion of the confided Lighted the highest or buch recommon as gladielectromo ambatempatrillo, diwiter i in the called all all one controls also globals filled non-Professional security search particles of the state of

towa se similar in the nethalpha bara noticed in 1917 authory (1998) the potential appearance attings whole betwine

raibhea**lach art** lu (S) *aire m*h Jac (3) Service Jack Seem Jack Seem sing to gior invitation particles t itte syntem **etags**hitte e Leerj neomeliaet the raeu aa ڪش ∀ ر is Tame volume to a final is ्रद्धम 🛬 .8**C1**233 (9268-11) rigilfasillós er T estrac**m**alegado bacasas ya en litt t forat America. immene / 200 and an and to a No. 10 සි පෙළුවම වෙන් උතුරුවට වෙන වී න inproje chiade vibinte sonto cisco co to said er to particle the specifications for select

र राष्ट्र त्राहित के अध्यक्षण करते । इ.स. १९४**० व्यक्ष**ण करते हार

THE REPORT OF THE PROPERTY OF THE PARTY OF T

1.00 Strange Commence 2. 2. 3. 2. C. Beech was 9 CONSTRUCTION AURER OF THE CONTRACT 1 3 A 3 ្រាងរូបស់រាមណ៍ ៖ ខុង១ ប 7 2 0 M 27 980 artigram trice, wood appropriagity in agent in the line was with interfeed. In a time to washe a distributions grant and also not him and death thry goed for your ca ार इस्तेष्ठ अध्याक पुरस्त रहे ेक प्रान्तिक प्राप्त की एक प्रिक्त की के प्राप्त कर कि material year of spices of the feet perfections TO STANK AN COORD BOSK NO OF A PLY rm. iiQ LA LINCTILLAROLA L'OTHORISMIL O' lection of the president e may (il) may probute a los (f) i sil conuncimient pes S) the grith, the recentle FREISTE OR TON - C . int is contract. and mish itse ecast of ..... separator <del>(1)</del> 4 4 1700 21 364 est surfailyead. In C 97 37 ன். மூரும் கர்சன் ஆசும் மா 03,7721 er sel yd hele as ar sel or both the off e. tytos filw isni abolt j ya singgr - BARTHAR APPENDANCE condequer that it lims Mile 1 orly 2/kg of city in termed by interests in the control of the cont centrolives in to the comessional V pris como directore de la filo en dir. Prilo de la milita de la come de la come . . . 3 / 3773 \*\* gram of himmor deliver. 23547 + 41.75 THE RESERVE OF THE PROPERTY. Semiliar to 18 Mar. ಕರ ೬ ಗಾಗ್ಯರ ೨೯ ಭ್ Secretary S ADDITIONS OF EPIZAL MARKS 3 Transfer dig section Libert No Settlem State of the state of eyr erit i 3 4 7 1 2 3 4 5 75 86 5 4

智慧。 1127 (1777) 117 (1777) 117 (1777)

ora<sub>in</sub> in the second of the second

บ่อโรกรร

44° ± 70

and the strength

DESIGNATION OF THE SECOND SECO

PT) Aquille de la Contraction de la Contraction

174,412 23

ကရာမှုရှိသင်ကြောင့် ရှိရေး ၁၂ သက်က ၂ နဲ့သည်လာသည် ရှိသွားသည်။ မကျော် သုံးသည် မြောင်းခဲ့ခဲ့သည် ခြိမ်းချက်တွေ့နှိ ငါးချက်သည် မြို့ရကြောင့် ကိုလိုင်းကြောင့် ကိုလိုင်းကြောင့် ကိုလိုင်းကြောင့် ကိုလိုင်းကြောင့် ကိုလိုခဲ့ကြောင့်

> -- នោះ បាន បើ ប្រទេវ ខេម បាន ប្រធានប្រជាជា និង នាន់នៅ គេ ជា ប៉ុន្តែបែប នេះបានប្រជាជា និង ប្រធានប្រធានប្រទេវ ប្ - បានប្រទេវ ការប្រជាជា បានប្រទេវ ប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រ - បានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រ - បានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រ - បានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រ - បានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានប្រ - បានប្រធានបានប្រធានបានប្រធានបានប្រធានបន្ទានប្រធានប្រធានប្រធានប្រធានបន្តប្រធានប្រធានប្រធានបន្តិសិស្សាយប្រធានបន្តិសិស្សាយប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានបន្តិសិស្សាយប្រធានប្រធានប្រធានប្រធានប្រធានប្រធានបន្តិសិសប្រធានប្រធានបន្តិសិស្សាយប្រធានបន្តិសិស្សាយប្រធានបន្តិសិស្សប្រធានប្រធានបន្តិសិស្សបន្ធិសិសប្រធានបន្តិសិសប្ចេចប្រធានប្រធានប្រធានប្រធានបន្តិសិសប្រធានបន្តិសិសប្រធានបន្តិសិស្តិសិស្សាយប្រធានប្រធានបន្តិសិសបន្តិសិស្សបន្តិសិសបន្តិសិស្សបន្តិសិស

egas com to a la sector de la sector dela sector de la sector de la sector de la sector de la sector dela sector de la sector dela sector de la sector del sector de la sector de la sector de la sector de la sector del sector de la sector d

ಳು ಎಸ್ಲಾಗ್ ಈ ಕಟ್ಟಿತ್

Sign of the sign of the same in the

治疗 经制工工 电电阻电路

Land the transit factor of the

\* . It's was now was garden. \*

នាក់នេះ បានបើបសិក្សាជីវាមេ មាន ការ៉ាកាន ម៉ា ខ្លួនវិបាក់។ ប្រជាពី បានបង្ហាញ សិក្សាជា សាកាកិត្តិដំណើរមេសាសាវិ

er tyllig taller ledd i fir ac led<mark>diol</mark>di